#### Construction:

Custom Alumi-Clad

#### Inserts:

A: White Alumi-Clad (1/8") w/ printed image background

#### (A) Logo: Printed (FLAT)

Size: 4.34" x 5.04" Colors: PER PROVIDED ART

#### (A) Copy: Printed (FLAT)

Font: Calibri (Regular / BOLDED) Size: 2.0"; 0.75" Color: PMS 541C (match logo blue)

#### NOTE: ALL sign types shown are **REPRESENTATIVE ONLY** unless otherwise noted. Colors depicted are a general representation of the color specified. If color selection is critical, please request sample for approval.

#### PRODUCTION NOTES

Mounting method: 3M VHB tape

Mounting surface: TBD

Departments Involved / Quantity: C,B (2)

#### LEAD TIMES - IMPORTANT NOTICE:

LEAD TIME for production = Typically 4-6 weeks from Final Approval.

Final Approval defined: 1. Customer order is received

- 2. Signed change orders have been received
  - 3. Approved Design Review received
  - 4. Signed Sign Schedule is received

#### Commitment Date may not match Need Date:

Final Approval must be received with enough lead time to meet the Need Date for the project. The commitment date for this project will depend upon available production capacity and material lead times at the time of Final Approval. Material ordering and production CANNOT BEGIN until Final Approval.


#### Changes received after Final Approval...

suspends work and schedule dates until changes are assessed and may delay project completion. Commitment date will need to be reestablished.

#### Processes: (



# Assembly: 3MVHB



**Gym** Rules

Children must be NINE years or older to use

Only non-marking athletic shoes are allowed.

• Food, alcohol, tobacco, chewing gum, glass

it must be water in a container with a lid/cap.

• If you wish to carry a beverage with you,

Profanity or excessively loud or suggestive

• No outside amplified music is permitted.

24.0" -

Kicking basketballs or volleyballs is

language will not be tolerated.

Thank you and have fun!

the gymnasium unless supervised by a

Wet or soiled shoes are not allowed.
Personal items should be stored in the

guardian.

locker rooms.

prohibited.

and cans are prohibited.

Dunking is prohibited.

# INSTALL 78" TO TOP OF SIGN

0

36.

SIDE VIEW

0.125"

#### Construction:

Custom Alumi-Clad

#### Inserts:

A: White Alumi-Clad (1/8") w/ printed image background

#### (A) Logo: Printed (FLAT)

Size: 3.83" x 4.45" Colors: PER PROVIDED ART

#### (A) Copy: Printed (FLAT)

Font: Calibri (Regular / BOLDED) Size: 2.0"; 0.5" Color: PMS 541C (match logo blue)

#### NOTE: ALL sign types shown are **REPRESENTATIVE ONLY** unless otherwise noted. Colors depicted are a general representation of the color specified. If color selection is critical, please request sample for approval.

#### PRODUCTION NOTES

Mounting method: 3M VHB tape

Mounting surface: TBD

Departments Involved / Quantity: C,B (4)

#### LEAD TIMES - IMPORTANT NOTICE:

LEAD TIME for production = Typically 4-6 weeks from Final Approval.

Final Approval defined: 1. Customer order is received

- 2. Signed change orders have been received
  - 3. Approved Design Review received
  - 4. Signed Sign Schedule is received

#### Commitment Date may not match Need Date:

Final Approval must be received with enough lead time to meet the Need Date for the project. The commitment date for this project will depend upon available production capacity and material lead times at the time of Final Approval. Material ordering and production CANNOT BEGIN until Final Approval.

#### Changes received after Final Approval...

suspends work and schedule dates until changes are assessed and may delay project completion. Commitment date will need to be reestablished.

#### Processes: (



# Assembly: 3MVHB

IF THIS PROJECT CONTAINS NATURAL PRODUCTS; i.e., WOOD, STONE: Because no two pieces of natural products are alike, variations in color, grain, and texture are natural occurrences to be appreciated. Lacquer finishes on wood may unavoidably have minor hairline cracking at joints and edges. All sign designs, images and concepts are the exclusive property of Avalis Wayfinding Solutions Inc. and may not be reproduced or copied without written permission of Avalis Wayfinding Solutions Inc. 2013 All rights reserved. 0" 1/4" 1/2" 3/4" 1									
301 Smokey Street - Unit C - Fort Collins, CO 80525 Ph: 970-223-9211 Fax: 970-223-9230 - Email: info@AvalisWay.com	Project Reference:		Status:	Date:	Designer:	Customer Approval:	Sign Type:		
	Project:	Estes Valley Community Center	Draft	10/18/2017	TJ	Work Order #:	PR		
		Estes Park, CO				Approved By:			
	Contact:	Les Fernando (A&P)				Approved Date:	Pool Rules		
	Sales Rep:	Louanne Lyles		WavFinder			$0 = 1 = 0.4$ $4^{2} = 0.20^{2}$		
www.AvalisWay.com				<b>WayFinder</b>		Customer approval is required prior to production.	Scale: 8:1 1" = 0'-8"		

**Pool Rules** 

• State regulations require full body showers before entering the pool.

Children age nine and younger must be accompanied by a guardian in the pool area at all times (or in the facility upon passing of swim test).
Children age 6 and under, or those who can't swim, must have a

Proper swim attire is required for all swimmers. Underwear or street

Watertight swim diapers are required for all patrons who are diaper

No flips, belly flops, diving or twisting jumps off the side/edge of pool.
Starting blocks are not permitted for use without permission or swim

No running, pushing, shoving, dunking or horseplay in pool area,

• Lap lanes are for swimming laps only. Swimmers may be asked to

 Swimmers with open sores or wounds or who have had diarrhea within the last 24 hours are asked not to get into the water in

• There is a periodic pool break for 10 minutes for the safety of our

Thank you and enjoy your swim!

• Kickboards and pull buoys are for lap swimmers only in the lap lanes.

accordance with Colorado Department of Public Health and

• Only U.S. Coast Guard approved life jackets are permitted.

• Swim test must be passed by any patron under age 18 wishing to

Lifeguard instructions must be obeyed at all times.
There must be a lifeguard on duty to enter the pool area.

guardian within arm's reach at all times.

No glass containers are permitted in pool area.

• NO EXTENDED BREATH HOLDING ALLOWED!

swim in deeper water.

clothing is not proper attire.

locker rooms and showers.

coach available on deck.

share lanes and circle swim.

Environment health codes.

guests during open swim.

• Diving is ONLY allowed in diving well.

dependent.

File name: M:\'DBase2\Estes valley Community Center - A&P\10.1 DRAWINGS\10.1.1 Interior Sign System\! Signtypes (rules)- EVCC.cdr

# **INSTALL 78" TO TOP OF SIGN**

b

36.



0.125"

#### Construction:

Custom Alumi-Clad

#### Inserts:

A: White Alumi-Clad (1/8") w/ printed image background

#### (A) Logo: Printed (FLAT)

Size: 3.83" x 4.45" Colors: PER PROVIDED ART

#### (A) Copy: Printed (FLAT)

Font: Calibri (Regular / BOLDED) Size: 1.65"; 0.48" Color: PMS 541C (match logo blue)

#### NOTE: ALL sign types shown are **REPRESENTATIVE ONLY** unless otherwise noted. Colors depicted are a general representation of the color specified. If color selection is critical, please request sample for approval.

#### PRODUCTION NOTES

Mounting method: 3M VHB tape

Mounting surface: TBD

Departments Involved / Quantity: C,B (2)

#### LEAD TIMES - IMPORTANT NOTICE:

LEAD TIME for production = Typically 4-6 weeks from Final Approval.

Final Approval defined: 1. Customer order is received

- 2. Signed change orders have been received
  - Approved Design Review received
     Signed Sign Schedule is received
  - 4. Signed Sign Schedule is received

#### Commitment Date may not match Need Date:

Final Approval must be received with enough lead time to meet the Need Date for the project. The commitment date for this project will depend upon available production capacity and material lead times at the time of Final Approval. Material ordering and production CANNOT BEGIN until Final Approval.

#### Changes received after Final Approval...

suspends work and schedule dates until changes are assessed and may delay project completion. Commitment date will need to be reestablished.


#### Processes: (



# Assembly: 3MVHB


b

36.



File name: M:\'DBase2\Estes valley Community Center - A&P\10.1 DRAWINGS\10.1.1 Interior Sign System\! Signtypes (rules)- EVCC.cdr





#### Construction:

Custom Alumi-Clad

#### Inserts:

A: White Alumi-Clad (1/8") w/ printed image background

### (A) Logo: Printed (FLAT)

Size: 3.83" x 4.45" Colors: PER PROVIDED ART

#### (A) Copy: Printed (FLAT)

Font: Calibri (Regular / BOLDED) Size: 1.65" : 0.71" Color: PMS 541C (match logo blue)

#### NOTE: ALL sign types shown are REPRESENTATIVE ONLY unless otherwise noted. Colors depicted are a general representation of the color specified. If color selection is critical, please request sample for approval.

Mounting method: 3M VHB tape

Mounting surface: TBD

Departments Involved / Quantity: C,B (2)

#### LEAD TIMES - IMPORTANT NOTICE:

LEAD TIME for production = Typically 4-6 weeks from Final Approval.

Final Approval defined: 1. Customer order is received

- 2. Signed change orders have been received
  - 3. Approved Design Review received
  - 4. Signed Sign Schedule is received

#### **Commitment Date may not match Need Date:**

Final Approval must be received with enough lead time to meet the Need Date for the project. The commitment date for this project will depend upon available production capacity and material lead times at the time of Final Approval. Material ordering and production CANNOT BEGIN until Final Approval.

#### Changes received after Final Approval...

suspends work and schedule dates until changes are assessed and may delay project completion. Commitment date will need to be reestablished.


# Processes:



# Assembly: 3MVHB<sup>™</sup>

IF THIS PROJECT CONTAINS NATURAL PRODUCTS; i.e., WOOD, STONE: Because no two pieces of natural products are alike, variations in color, grain, and textu All sign designs, images and concepts are the exclusive property of Avalis Wayfinding S			•	•	• • •		Scale Test 0" 1/4" 1/2" 3/4" 1"
301 Smokey Street - Unit C - Fort Collins, CO 80525 Ph: 970-223-9211 Fax: 970-223-9230 - Email: info@AvalisWay.com www.AvalisWay.com	Project Reference:		Status:	Date:	Designer:	Customer Approval:	Sign Type:
	Project: Estes Valley Community Center Estes Park, CO	Draft	10/18/2017	TJ	Work Order #:	FR	
		Esles Park, CO				Approved By:	
	Contact:	Les Fernando (A&P)	-			Approved Date:	Fitness Room Rules
	Sales Rep	Louanne Lyles		<b>Way</b> Finder.		Customer approval is required prior to production.	Scale: 8:1 1" = 0'-8"
File name: M:\'DBase2\Estes valley Community Center - A&P\10.1 DRAW	INGS\10.1.1	nterior Sign System\! Signtypes (rules)-	EVCC.cdr	· · · · ·		•	

# **INSTALL 78" TO TOP OF SIGN**



#### Construction:

Custom Alumi-Clad

#### Inserts:

A: White Alumi-Clad (1/8") w/ printed image background

#### (A) Logo: Printed (FLAT)

Size: 3.83" x 4.45" Colors: PER PROVIDED ART

#### (A) Copy: Printed (FLAT)

Font: Calibri (Regular / BOLDED) Size: 1.65" : 0.59" Color: PMS 541C (match logo blue)

#### NOTE: ALL sign types shown are REPRESENTATIVE ONLY unless otherwise noted. Colors depicted are a general representation of the color specified. If color selection is critical, please request sample for approval.

Mounting method: 3M VHB tape

Mounting surface: TBD

Departments Involved / Quantity: C,B (1)

#### LEAD TIMES - IMPORTANT NOTICE:

LEAD TIME for production = Typically 4-6 weeks from Final Approval.

Final Approval defined: 1. Customer order is received

- 2. Signed change orders have been received
  - 3. Approved Design Review received
  - 4. Signed Sign Schedule is received

#### **Commitment Date may not match Need Date:**

Final Approval must be received with enough lead time to meet the Need Date for the project. The commitment date for this project will depend upon available production capacity and material lead times at the time of Final Approval. Material ordering and production CANNOT BEGIN until Final Approval.

#### Changes received after Final Approval...

suspends work and schedule dates until changes are assessed and may delay project completion. Commitment date will need to be reestablished.

#### <u>Processes:</u>




# Assembly: 3MVHB<sup>™</sup>


IF THIS PROJECT CONTAINS NATURAL PRODUCTS; i.e., WOOD, STONE: Because no two pieces of natural products are alike, variations in color, grain, and texture are natural occurrences to be appreciated. Lacquer finishes on wood may unavoidably have minor hairline cracking at joints and edges. All sign designs, images and concepts are the exclusive property of Avalis Wayfinding Solutions Inc. and may not be reproduced or copied without written permission of Avalis Wayfinding Solutions Inc. 2013 All rights reserved.							
301 Smokey Street - Unit C - Fort Collins, CO 80525 Ph: 970-223-9211 Fax: 970-223-9230 - Email: info@AvalisWay.com www.AvalisWay.com	Project Reference:		Status:	Date:	Designer:	Customer Approval:	Sign Type:
	Project:	Estes Valley Community Center Estes Park, CO	Draft	10/18/2017	TJ	Work Order #: Approved By:	CR
	Contact:	Les Fernando (A&P)				Approved Date:	Cubz Den Rules
	Sales Rep	: Louanne Lyles		<b>Way</b> Finder.		Customer approval is required prior to production.	Scale: 8:1 1" = 0'-8"
File name: M:\'DBase2\Estes valley Community Center - A&P\10.1 DRAW	/INGS\10.1.1	nterior Sign System !! Signtypes (rules)	- EVCC.cdr				

# **INSTALL 78" TO TOP OF SIGN**

0

36.





#### Construction:

Custom Alumi-Clad

#### Inserts:

A: White Alumi-Clad (1/8") w/ printed image background

#### (A) Logo: Printed (FLAT)

Size: 3.83" x 4.45" Colors: PER PROVIDED ART

#### (A) Copy: Printed (FLAT)

Font: Calibri (Regular / BOLDED) Size: 1.65"; 0.80" Color: PMS 541C (match logo blue)

#### NOTE: ALL sign types shown are **REPRESENTATIVE ONLY** unless otherwise noted. Colors depicted are a general representation of the color specified. If color selection is critical, please request sample for approval.

#### PRODUCTION NOTES

Mounting method: 3M VHB tape

Mounting surface: TBD

Departments Involved / Quantity: C,B (4)

#### LEAD TIMES - IMPORTANT NOTICE:

LEAD TIME for production = Typically 4-6 weeks from Final Approval.

#### Final Approval defined: 1. Customer order is received

- 2. Signed change orders have been received
  - 3. Approved Design Review received
  - 4. Signed Sign Schedule is received

#### Commitment Date may not match Need Date:

Final Approval must be received with enough lead time to meet the Need Date for the project. The commitment date for this project will depend upon available production capacity and material lead times at the time of Final Approval. Material ordering and production CANNOT BEGIN until Final Approval.

#### Changes received after Final Approval...

suspends work and schedule dates until changes are assessed and may delay project completion. Commitment date will need to be reestablished.

### Processes:



# Assembly: 3MVHB

IF THIS PROJECT CONTAINS NATURAL PRODUCTS; i.e., WOOD, STONE: Because no two pieces of natural products are alike, variations in color, grain, and texture All sign designs, images and concepts are the exclusive property of Avalis Wayfinding Sc					• • •		Scale Test           0"         1/4"         1/2"         3/4"         1"
301 Smokey Street - Unit C - Fort Collins, CO 80525 Ph: 970-223-9211 Fax: 970-223-9230 - Email: info@AvalisWay.com	Project Reference:		Status:	Date:	Designer:	Customer Approval:	Sign Type:
	Project: Estes Valley Community Center Estes Park, CO	Draft	10/18/2017	TJ	Work Order #:	LR	
		Estes Park, CO				Approved By:	LK
	Contact:	Les Fernando (A&P)				Approved Date:	Locker Room Rules
	Sales Rep:	Louanne Lyles	<b>WayF</b> inder.		Customer approval is required prior to production.	Scale: 8:1 1" = 0'-8"	
File name: M:\DBase2\Estes valley Community Center - A&P\10.1 DRAWIN				sign systems		Customer approvaris required prior to production.	State. 0.1 1 - 0-0

# **INSTALL 78" TO TOP OF SIGN**

36.0"

